L Number	Hits	Search Text	DB	Time stamp
-	54390	conver\$4 near6 ((parallel near8 serial)	USPAT;	2003/12/22
	0.550	p/s)	US-PGPUB;	10:25
			EPO; JPO;	
	1		DERWENT;	
	i		IBM TDB	
_	619	(conver\$4 near6 ((parallel near8 serial)	USPĀT;	2003/12/22
		p/s)) same ((generat\$3 segregat\$3) near4	US-PGPUB;	10:25
		(parallel near2 data))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	. 2		USPAT;	2003/12/22
		p/s)) same ((generat\$3 segregat\$3) near4	US-PGPUB;	10:47
		(parallel near2 data))) and de\$1skew	EPO; JPO;	
			DERWENT;	
	1001	, , ,	IBM_TDB	1 /
_	1081	de\$1skew	USPAT;	2003/12/22
			US-PGPUB;	10:14
			EPO; JPO;	
			DERWENT;	
_	2	de\$1skew and 710/71.ccls.	IBM_TDB USPAT;	2003/12/22
	4	devision and /10//1.ccis.	USPAT; US-PGPUB;	10:21
			EPO; JPO;	10.21
			DERWENT;	
			IBM TDB	
_	124	de\$1skew and 370/(366,536).ccls.	USPAT;	2003/12/22
		40715.00 4.14 5707 (50075507.5015.	US-PGPUB;	10:22
			EPO; JPO;	10.22
			DERWENT;	
			IBM TDB	
-	1	de\$1skew and 370/366.ccls.	USPAT;	2003/12/22
			US-PGPUB;	10:22
		•	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	de\$1skew and 370/536.ccls.	USPAT;	2003/12/22
	1		US-PGPUB;	10:23
			EPO; JPO;	
			DERWENT;	ĺ
_	29354	conver\$4 near6 ((parallel near8 serial)	IBM_TDB	2002/12/22
_	29334	p/s) same p/s	USPAT; US-PGPUB;	2003/12/22
		Prof same Pro	EPO; JPO;	10:25
			DERWENT;	
			IBM TDB	
-	70	(conver\$4 near6 ((parallel near8 serial)	USPAT;	2003/12/22
		p/s) same p/s) same ((generat\$3	US-PGPUB;	10:26
		segregat\$3) near4 (parallel near2 data))	EPO; JPO;	
i	ł	· · · · · · · · · · · · · · · · · · ·	DERWENT;	
			IBM_TDB	
-	6	· · · · · · · · · · · · · · · · · · ·	USPĀT;	2003/12/22
		p/s) same p/s) same ((generat\$3	US-PGPUB;	10:27
		segregat\$3) near4 (parallel near2 data)))	EPO; JPO;	
		and align\$3	DERWENT;	
		/4-01-1	IBM_TDB	
-	194	(de\$1skew align\$3) near4 (parallel near2	USPAT;	2003/12/22
		data)	US-PGPUB;	10:48
			EPO; JPO;	
			DERWENT;	
_	52	19.ab.	IBM_TDB	2002/12/22
	32	1.J. a.J.	USPAT; US-PGPUB;	2003/12/22
			EPO; JPO;	10:20
			DERWENT;	
			IBM TDB	[
	L	<u> </u>		r•

-	1	((de\$1skew align\$3) near4 (parallel near2 data)) and 710/71.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/22 10:53
			IBM TDB	
-	1	((de\$1skew align\$3) near4 (parallel near2 data)) and 370/366.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/22 10:57
_	4	((de\$1skew align\$3) near4 (parallel near2 data)) and 370/536.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/22 10:57
-	2	("4984251" "5251210").PN.	USPAT	2003/12/22 11:09
-	8	5920897.URPN.	USPAT	2003/12/22 16:01
-	42	clock near2 data near2 recover\$1 near4 align\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/22 16:14
_	19	clock near2 data near2 recover\$1 near4 align\$4	USPAT	2003/12/22 16:13
-	157	serial near2 data same 2.5	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/22 16:15
-	25	(serial near2 data) same (2.5 near2 GHz)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/22
-	45	(serial near2 data) same rate same 2.5	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/22 16:18
-	19	(serial near2 data) same rate same 2.5	IBM_TDB USPAT	2003/12/22
-	33934	serial same parallel same conver\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT;	16:18 2003/12/22 16:21
-	114	(serial same parallel same conver\$4) same \$3skew	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/22 16:59
-	5	((serial same parallel same conver\$4) same \$3skew) and 713/\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/22 16:27
-	13	((serial same parallel same conver\$4) same \$3skew) and 341/\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/22 16:31
-	14	((serial same parallel same conver\$4) same \$3skew) and 375/\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/22 16:34
]			IBM_TDB	

-	6	((serial same parallel same conver\$4)	USPAT;	2003/12/22
		same \$3skew) and 327/\$.ccls.	US-PGPUB;	16:34
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	/
-	31	12.ab.	USPAT;	2003/12/22
1			US-PGPUB;	16:40
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	/
-	7	((serial same parallel same conver\$4)	USPAT;	2003/12/22
		same \$3skew) same (clock near2 rate)	US-PGPUB;	16:49
			EPO; JPO;	
			DERWENT;	
	33	//	IBM_TDB	0000 (10 (00
-	33	((serial same parallel same conver\$4)	USPAT;	2003/12/22
		same \$3skew) same (clock near2 signal\$1)	US-PGPUB;	17:00
			EPO; JPO;	ĺ
	1		DERWENT;	
	1.	///	IBM_TDB	2002/12/22
-	12	(((serial same parallel same conver\$4)	USPAT;	2003/12/22
	1	same \$3skew) same (clock near2 signal\$1))	US-PGPUB;	16:58
		and recover\$3	EPO; JPO;	
			DERWENT;	
	(7.4	/	IBM_TDB	2002/12/22
-	674	(serial same parallel same conver\$4) same	USPAT;	2003/12/22
	ĺ	(\$3skew align\$4)	US-PGPUB;	17:00
			EPO; JPO;	
			DERWENT;	
	100	//	IBM_TDB	
-	109	((serial same parallel same conver\$4)	USPAT;	2003/12/22
		same (\$3skew align\$4)) same (clock near2	US-PGPUB;	17:08
		signal\$1)	EPO; JPO;	
			DERWENT;	<u> </u>
	14	///somisl some manallel some somesence)	IBM_TDB	2002/12/22
-	14	(((serial same parallel same conver\$4)	USPAT;	2003/12/23
		same (\$3skew align\$4)) same (clock near2 signal\$1)) same (clock near2 rate)	US-PGPUB;	09:54
		Signalyi) Same (Clock neal2 lace)	EPO; JPO; DERWENT;	
			IBM TDB	
l _	13	((serial same parallel same conver\$4)	USPAT;	2003/12/23
	13	same (\$3skew align\$4)) same (reference	US-PGPUB;	10:54
		near2 clock)	EPO; JPO;	10.54
		Nearz Clock/	DERWENT;	
			IBM TDB	
l _	13	((serial same parallel same conver\$4)	USPAT;	2003/12/22
		same (\$3skew align\$4)) same (clock near2	US-PGPUB;	17:08
		reference)	EPO; JPO;	- /
		20202011007	DERWENT;	
			IBM TDB	
_	1	6167077.URPN.	USPAT	2003/12/23
	1			09:52
-	28	ducaroir.in. and LSI	USPAT;	2003/12/23
	1		US-PGPUB;	09:55
			EPO; JPO;	
			DERWENT;	
	•		IBM TDB	
-	29282	reference near2 clock\$1	USPAT;	2003/12/23
			US-PGPUB;	13:05
			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
-	192	(reference near2 clock\$1) same (((serial	USPAT;	2003/12/23
	1,5	near5 parallel) (parallel near5 serial))	US-PGPUB;	13:08
1	İ	adj conver\$4)	EPO; JPO;	
			DERWENT;	
	ĺ		IBM TDB	
	L		12.1_100	L

	60	(((serial near5 parallel) (parallel near5 serial)) adj conver\$4) same \$3skew	USPAT; US-PGPUB;	2003/12/23 13:56
			EPO; JPO; DERWENT; IBM TDB	
_	11	((((serial near5 parallel) (parallel	USPAT;	2003/12/23
		near5 serial)) adj conver\$4) same \$3skew)	US-PGPUB;	11:00
		and (reference near2 clock\$1)	EPO; JPO;	
			DERWENT;	
		l .	IBM_TDB	
_	36		USPAT;	2003/12/23
		near5 parallel) (parallel near5 serial)) adj conver\$4)) and \$3skew	US-PGPUB; EPO; JPO;	13:07
		adj convervity and voskew	DERWENT;	
			IBM TDB	
-	565	(reference near2 clock\$1) same \$3skew	USPAT;	2003/12/23
			US-PGPUB;	11:05
			EPO; JPO; DERWENT;	
			IBM TDB	
_	124	14.ab.	USPAT;	2003/12/23
			US-PGPUB;	11:05
			EPO; JPO;	
			DERWENT; IBM TDB	
-	1	14.ab. and 710/\$.ccls.	USPAT;	2003/12/23
			US-PGPUB;	11:06
			EPO; JPO;	
			DERWENT; IBM TDB	
_	1	14.ab. and 341/\$.ccls.	USPAT;	2003/12/23
			US-PGPUB;	11:07
			EPO; JPO;	
			DERWENT; IBM TDB	
_	7	14.ab. and 375/\$.ccls.	USPAT;	2003/12/23
			US-PGPUB;	11:11
			EPO; JPO;	
			DERWENT; IBM TDB	
_	28	14.ab. and 327/\$.ccls.	USPAT;	2003/12/23
			US-PGPUB;	11:15
			EPO; JPO;	
1			DERWENT; IBM TDB	
-	2	6340905.pn.	USPAT;	2003/12/23
	_	•	US-PGPUB;	11:19
			EPO; JPO;	
			DERWENT; IBM TDB	
_	2	6429714.pn.	USPAT;	2003/12/23
	_	•	US-PGPUB;	11:20
			EPO; JPO;	
			DERWENT; IBM TDB	
-	2	6433598.pn.	USPAT;	2003/12/23
			US-PGPUB;	11:20
			EPO; JPO;	
			DERWENT;	
_	3406	(reference near2 clock\$1) same rate	IBM_TDB USPAT;	2003/12/23
			US-PGPUB;	12:03
			EPO; JPO;	
			DERWENT;	
_	1199	((reference near2 clock\$1) same rate)	IBM_TDB USPAT;	2003/12/23
		same bit\$1	US-PGPUB;	12:04
			EPO; JPO;	
			DERWENT;	
L	L	<u> </u>	IBM_TDB	l

			_	
-	121	(((reference near2 clock\$1) same rate)	USPAT;	2003/12/23
		same bit\$1) same recover\$1	US-PGPUB;	12:05
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	12	((((reference near2 clock\$1) same rate)	USPAT;	2003/12/23
		same bit\$1) same recover\$1) same (clock	US-PGPUB;	12:06
		adi rate)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
l _	76	(reference near2 clock\$1) and ((2.5 adj	USPAT;	2003/12/23
	'`	GHz) (2.5 adj gigabit near2 ((per adj	US-PGPUB;	13:56
		second) sec)))	EPO; JPO;	13.30
		Second, Sec, //	DERWENT;	
			IBM TDB	
l _	1	((reference near2 clock\$1) and ((2.5 ad)	USPAT;	2003/12/23
-	1			13:09
1		GHz) (2.5 adj gigabit near2 ((per adj	US-PGPUB;	13:09
		second) sec)))) and (((serial near5	EPO; JPO;	
1		parallel) (parallel near5 serial)) adj	DERWENT;	
	_	conver\$4) same \$3skew	IBM_TDB	0000 /00 /00
-	6		USPAT;	2003/12/23
		GHz) (2.5 adj gigabit near2 ((per adj	US-PGPUB;	13:09
		second) sec)))) and (((serial near5	EPO; JPO;	
		parallel) (parallel near5 serial)) adj	DERWENT;	
		conver\$4)	IBM_TDB	
-	16		USPAT;	2003/12/23
		GHz) (2.5 adj gigabit near2 ((per adj	US-PGPUB;	13:11
		second) sec)))) and \$3skew	EPO; JPO;	
	}		DERWENT;	
			IBM_TDB	
-	29	(((serial near5 parallel) (parallel near5	USPAT;	2003/12/23
1	}	serial)) adj conver\$4) and ((2.5 adj GHz)	US-PGPUB;	13:52
		(2.5 adj gigabit near2 ((per adj second)	EPO; JPO;	
		sec)))	DERWENT;	
1			IBM_TDB	
-	319	(((serial near5 parallel) (parallel near5	USPĀT;	2003/12/23
1		serial)) adj conver\$4) same (\$3skew	US-PGPUB;	13:56
		align\$5)	EPO; JPO;	
			DERWENT;	
1			IBM TDB	
-	2	((((serial near5 parallel) (parallel	USPAT;	2003/12/23
		near5 serial)) adj conver\$4) same (\$3skew	US-PGPUB;	13:57
		align\$5)) and ((2.5 adj GHz) (2.5 adj	EPO; JPO;	
		gigabit near2 ((per adj second) sec)))	DERWENT;	
			IBM TDB	
-	1	("5598541" "2002/0170011"	USPAT	2003/12/23
		"2003/0046015").PN.		13:58
-	2	6167077.pn.	USPAT;	2003/12/23
1			US-PGPUB;	15:45
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	<u> </u>	I		l